Supporting Information for

Conrotatory Photochemical Ring Opening of Alkylcyclobutenes in Solution.


A Test of the Hot Ground State Mechanism

Bruce H.O. Cook, William J. Leigh*, and Robin Walsh


Representative concentration vs. time plots showing the formation of diene products, from merry-go-round irradiation (228 nm) of alkylcyclobutenes **1**, *cis*- and *trans*-**5**, **8**, and *cis*- and *trans*-**9** in deoxygenated hexane solution at 25 $^{\circ}$ C:

- (a) Formation of $2(\bigcirc)$ from 1 and *E*,*Z*- $6(\bullet)$ from *cis*-5.
- (b) Formation of $2(\bigcirc)$ from 1 and *E*,*Z*-6 (\bullet), *E*,*E*-6 (\blacksquare), and *Z*,*Z*-6 (\blacklozenge) from *trans*-5.
- (c) Formation of 2(0) from 1 and $10(\bullet)$ from 8.
- (d) Formation of $2(\bigcirc)$ from $1, \mathbb{Z}$ -13 (\bullet) from *cis*-9, and \mathbb{E} -13 (\bullet) from *trans*-9.


(a) Formation of **2** (O) from **1** and *E*,*Z*-**6** (\bullet) from *cis*-**5**.



(b) Formation of **2** (\bigcirc) from **1** and *E*,*Z*-**6** (\blacksquare), *E*,*E*-**6** (\blacksquare), and *Z*,*Z*-**6** (\blacklozenge) from *trans*-**5**.



(c) Formation of 2 (O) from 1 and 10 (\bullet) from 8.



(d) Formation of 2 (O) from 1, Z-13 (\bullet) from *cis*-9, and *E*-13 (\bullet) from *trans*-9.

